# Selected Cipher Schemes and Their Uses

Tom Kelliher, CS 325

Sept. 15, 2006

## 1 Administrivia

Announcements

Assignment

From Last Time

Phil Zimmermann video.

#### Outline

- 1. DES.
- 2. AES.
- 3. Public key principles.
- 4. Uses.

#### Coming Up

Discussion of individual Perl/CGI assignment and project.

### 2 DES

- 1. IBM-designed and NSA-analyzed.
  - (a) 64-bit block cipher. Symmetric.
  - (b) Uses simple arithmetic and logical operations.
  - (c) Slow hardware implementations were available. (But faster than asymmetric.)
  - (d) Sixteen rounds of substitution and transposition.

#### 2. Controversy:

- (a) 128 bit keys to 64 to 56 (parity bits).
- (b) Design of S-boxes.
- 3. Differential cryptanalysis shows that DES is "optimal."

This technique was known to IBM and the NSA much earlier.

#### 2.1 Marginally Increased Strength: Double DES

- 1. Product cipher apply DES twice, with two keys.
  - $C = E(k_2, E(k_1, P))$
- 2. With two keys, should have strength of  $2^{2 \times 56}$ , right?
- Wrong strength is 2<sup>1+56</sup>, using "Meet in the Middle" attack. Requires two plaintext, ciphertext pairs.

#### 2.2 Reasonably Increased Strength: Triple DES

1. Apply DES three times, with two keys.

 $C = E(k_1, D(k_2, E(k_1, P)))$ 

Why a decrypt stage? Consider the case  $k_2 = k_1$  — single DES.

2. Strength is apparently  $2^{112}$ .

Meet in the middle attack not effective.

## 3 AES

- 1. Replaces DES as a US standard.
- Winner of a "contest." Designed by two Dutch cryptographers (Rijndael). Vetted by NSA.
- 3. 128-bit block cipher. Symmetric.
- 4. Uses simple arithmetic and logical operations.
- 5. Fast and easy to implement.
- 6. Variable key length: 128, 192, 256.

Key lengths of 192 and 256 are approved for US Top Secret level data.

7. Number of rounds is a function of key length: 9, 11, 13.

Decreasing the number of rounds weakens AES. To date, best known attacks are with 7, 8, 9 rounds, respectively. Too close for comfort?

What do we mean by breaking encryption?

## 4 Public Key Encryption

General principles:

1. Asymmetric.

2.  $P = D(k_{\text{PRIV}}, E(k_{\text{PUB}}, P)).$ 

Also:  $P = E(k_{\text{PUB}}, D(k_{\text{PRIV}}, P)).$ 

- 3. 10,000 times slower than private key.
- 4. RSA based on finding the two prime factors of a large number.

## 5 Uses

Elements:

- Symmetric cipher for private data transfer. Key distribution?
- 2. Asymmetric for initial privacy, authentication.

E for privacy, D for authentication.

How can "someone" securely send you a document?

*How* do I convince you of my identity?

How do I securely send you a document, convincing you it's from me?

3. Hash (MD5) for digestification and digital signature.

Requirements for secure information transfer between two parties. Information should be:

- 1. Unforgeable.
- 2. Authentic.
- 3. Unalterable.
- 4. Non-reusable.

How do we use the former elements so as to provide these features?

Digital certificate:

- 1. An originator's identity and public key.
- 2. CA certifies.
- 3. Digest and sign by CA.
- 4. Return to originator, who verifies.

What is the goal of SSL? How does it work?