

# Display Lists, Menus, and Picking

Tom Kelliher, CS 320

Feb. 28, 2003

## 1 Administrivia

### Announcements

### Assignment

Read `paint.c`, Section 3.8.

### From Last Time

Input devices and interaction introduction.

### Outline

1. Display lists.
2. Menus.
3. Pick selection.

### Coming Up

`paint.c`

## 2 Display Lists, Menus, and Picking

Display lists and distributed computing.

### 2.1 Text Display

Idea:

1. Specify starting location of text (world coordinates).
2. Start writing, specifying font and character.

Example:

```
void renderString(GLdouble x, GLdouble y, void *font, char *text)
{
    glRasterPos2d(x, y);

    while (text)
    {
        glutBitmapCharacter(font, *text);
        ++text;
    }
}
```

See man page for `glutBitmapCharacter` for list of available bitmap fonts.

Idea similar to font cache: display lists. Program example:

```
base = glGenLists(128);

for(i=0;i<128;i++)
{
    glNewList(base+i, GL_COMPILE);
    glutBitmapCharacter(GLUT_BITMAP_9_BY_15, i);
    glEndList();
}
```

```
glListBase(base);
```

Use:

```
// Dump time string into out.  
  
glRasterPos2i(ww-80, wh-15);  
glColor3f(0.0,0.0,0.0);  
glBegin(GL_QUADS);  
    glVertex2i(ww-80, wh-15);  
    glVertex2i(ww, wh-15);  
    glVertex2i(ww, wh);  
    glVertex2i(ww-80, wh);  
glEnd();  
glColor3f(1.0,1.0,1.0);  
glCallLists( strlen(out) , GL_BYTE, out);
```

Another example:

```
list = glGenLists(1)  
  
glNewList(list, GL_COMPILE);  
    glBegin(GL_POLYGON);  
        glVertex2f(...);  
        ...  
    glEnd();  
glEndList();  
  
...  
  
glCallList(list);
```

## 2.2 Menus and Sub-Menus

Why do we use menus? — What's the alternative?

```
int main(int argc, char** argv)
```

```

{
    int c_menu, p_menu, f_menu;

    // ...

    c_menu = glutCreateMenu(color_menu);
    glutAddMenuEntry("Red",1);
    glutAddMenuEntry("Green",2);
    glutAddMenuEntry("Blue",3);
    glutAddMenuEntry("Cyan",4);
    glutAddMenuEntry("Magenta",5);
    glutAddMenuEntry("Yellow",6);
    glutAddMenuEntry("White",7);
    glutAddMenuEntry("Black",8);
    p_menu = glutCreateMenu(pixel_menu);
    glutAddMenuEntry("increase pixel size", 1);
    glutAddMenuEntry("decrease pixel size", 2);
    f_menu = glutCreateMenu(fill_menu);
    glutAddMenuEntry("fill on", 1);
    glutAddMenuEntry("fill off", 2);
    glutCreateMenu(right_menu);
    glutAddMenuEntry("quit",1);
    glutAddMenuEntry("clear",2);
    glutAttachMenu(GLUT_RIGHT_BUTTON);
    glutCreateMenu(middle_menu);
    glutAddSubMenu("Colors", c_menu);
    glutAddSubMenu("Pixel Size", p_menu);
    glutAddSubMenu("Fill", f_menu);
    glutAttachMenu(GLUT_MIDDLE_BUTTON);

    // ...
}

```

```

void color_menu(int id)
{
    if(id == 1) {r = 1.0; g = 0.0; b = 0.0;}
    else if(id == 2) {r = 0.0; g = 1.0; b = 0.0;}
    else if(id == 3) {r = 0.0; g = 0.0; b = 1.0;}
    else if(id == 4) {r = 0.0; g = 1.0; b = 1.0;}
    else if(id == 5) {r = 1.0; g = 0.0; b = 1.0;}
    else if(id == 6) {r = 1.0; g = 1.0; b = 0.0;}
    else if(id == 7) {r = 1.0; g = 1.0; b = 1.0;}
    else if(id == 8) {r = 0.0; g = 0.0; b = 0.0;}
}

```

## 2.3 Coordinate systems

1. Rendering origin for OpenGL.
2. Window and mouse coordinate origin for the window system.
3. Translating.

## 2.4 Pick Determination and Drawing States

What's the problem here?

1. Mouse function called into play here.
2. Note that right button taken out of action.
3. Canvas icons: four in row, upper-left. Dimensions?

```
int pick(int x, int y)
{
    y = wh - y;
    if(y < wh-ww/10) return 0;
    else if(x < ww/10) return LINE;
    else if(x < ww/5) return RECTANGLE;
    else if(x < 3*ww/10) return TRIANGLE;
    else if(x < 2*ww/5) return POINTS;
else if(x < ww/2) return TEXT;
    else return 0;
}

void mouse(int btn, int state, int x, int y)
{
    static int count;
    int where;
    static int xp[2],yp[2];
    if(btn==GLUT_LEFT_BUTTON && state==GLUT_DOWN)
    {
        glPushAttrib(GL_ALL_ATTRIB_BITS);
```

```

where = pick(x,y);
glColor3f(r, g, b);
if(where != 0)
{
    count = 0;
    draw_mode = where;
}
else switch(draw_mode)
{
case(LINE):
    if(count==0)
    {
        count++;
        xp[0] = x;
        yp[0] = y;
    }
    else
    {
        glBegin(GL_LINES);
        glVertex2i(x,wh-y);
        glVertex2i(xp[0],wh-yp[0]);
        glEnd();
        draw_mode=0;
        count=0;
    }
    break;
case(RECTANGLE):
    if(count == 0)
    {
        count++;
        xp[0] = x;
        yp[0] = y;
    }
    else
    {
        if(fill) glBegin(GL_POLYGON);
        else glBegin(GL_LINE_LOOP);
        glVertex2i(x,wh-y);
        glVertex2i(x,wh-yp[0]);
        glVertex2i(xp[0],wh-yp[0]);
        glVertex2i(xp[0],wh-y);
        glEnd();
        draw_mode=0;
        count=0;
    }
}

```

```

    }
    break;
case (TRIANGLE):
    switch(count)
    {
        case(0):
            count++;
            xp[0] = x;
            yp[0] = y;
            break;
        case(1):
            count++;
            xp[1] = x;
            yp[1] = y;
            break;
        case(2):
            if(fill) glBegin(GL_POLYGON);
            else glBegin(GL_LINE_LOOP);
                glVertex2i(xp[0],wh-yp[0]);
                glVertex2i(xp[1],wh-yp[1]);
                glVertex2i(x,wh-y);
            glEnd();
            draw_mode=0;
            count=0;
        }
        break;
case(POINTS):
    {
        drawSquare(x,y);
        count++;
    }
    break;
case(TEXT):
    {
        rx=x;
        ry=wh-y;
        glRasterPos2i(rx,ry);
        count=0;
    }
    }

    glPopAttrib();
    glFlush();
}
}

```