

The Relational Model

Tom Kelliher, CS 417

1 Administrivia

Announcements

Assignment

From Last Time

Flask tutorial and exercise.

Outline

1. Relational division
2. Vocabulary
3. Relational model practice

Coming Up

SQL

2 Relational Division

3 Vocabulary

1. If $S = \{a, b\}$ and $T = \{1, 2, 3\}$ then the Cartesian product $S \times T$ has how many ordered pairs?
A. 5

- B. 6
- C. 8
- D. 9

Write the ordered pairs.

2. If $S = \{a, b\}$ and $T = \{1, 2, 3\}$, which of the following can be a relation for $S \times T$?
 - A. (a,a), (a,b), (b,a)
 - B. (a,1), (b,2)
 - C. (a,2), (2,a)
 - D. (a,1), (a,3), (b,a)
3. Each row in a relational table is called a(n)
 - A. attribute
 - B. domain
 - C. relation
 - D. tuple
4. In the relational model, referential integrity is a constraint that places restrictions on the values of
 - A. references
 - B. foreign keys
 - C. superkeys
 - D. secondary keys
5. In the relational model, the table in which a foreign key appears as the primary key is called its
 - A. root relation
 - B. child relation
 - C. home relation
 - D. foreign relation
6. In the relational model, in the SELECT operation, the theta-condition refers to
 - A. the selection predicate
 - B. the selection subject
 - C. the equality or inequality operator used
 - D. the null condition
7. Which of the following cannot be done using just a PROJECT operator in the relational model
 - A. eliminating duplicate values
 - B. operating on more than one column
 - C. picking out target rows
 - D. picking out a vertical subset of a table
8. Which of the following operators allows us to combine pieces of information about an entity that appear on separate relational tables?
 - A. SELECT
 - B. PROJECT
 - C. NATURAL JOIN
 - D. UNION

9. When converting an E-R model to a relational model, the table for a binary relationship can be replaced by a foreign key provided the relationship is not
 - A. one-to-one
 - B. one-to-many
 - C. many-to-one
 - D. many-to-many

10. In converting from an E-R diagram to a relational model, tables are used to represent
 - A. entities only
 - B. relationships only
 - C. both entities and relationships
 - D. only entities and attributes

11. If A and B are entity sets with a one-to-one relationship A:B, all of the following are true of the relational model representation for them EXCEPT
 - A. the entities A and B may sometimes be combined into a single table with no relationship table needed
 - B. the relationship should be represented by placing both primary keys as foreign keys in the other table
 - C. the relationship can be represented by placing the primary key of A as a foreign key in the table for B
 - D. the relationship can be represented by placing the primary key of B as a foreign key in the table for A

4 Relational Model Practice

1. Consider this instance of a `Student` relation:

| <i>sid</i> | <i>name</i> | <i>login</i> | <i>age</i> | <i>gpa</i> |
|------------|-------------|---------------|------------|------------|
| 50000 | Dave | dave@cs | 19 | 3.3 |
| 53666 | Jones | jones@cs | 18 | 3.4 |
| 53688 | Smith | smith@ee | 18 | 3.2 |
| 53650 | Smith | smith@math | 19 | 3.8 |
| 53831 | Madayan | madayan@music | 11 | 1.8 |
| 53832 | Guldu | guldu@music | 12 | 2.0 |

- (a) Give an example of an attribute (or set of attributes) that you can deduce is not a candidate key, based on this instance being legal.
 - (b) Is there any example of an attribute (or set of attributes) that you can deduce is a candidate key, based on this instance being legal?

2. Consider this relation schema:

`Students(sid: string, name: string, login: string,`

age: integer, gpa: real)

Faculty(fid: string, fname: string, sal: real)

Courses(cid: string, cname: string, credits: integer)

Rooms(rno: integer, address: string, capacity: integer)

Enrolled(sid: string, cid: string, grade: string)

Teaches(fid: string, cid: string)

Meets_In(cid: string, rno: integer, time: string)

- (a) List all the foreign key constraints among these relations.
 - (b) Give an example of a (plausible) constraint involving one or more of these relations that is not a primary key or foreign key constraint.
3. Consider the following database instance, which contains information about employees and the projects to which they are assigned:

| Emp | |
|-------|----------|
| empId | lastName |
| E101 | Smith |
| E105 | Jones |
| E110 | Adams |
| E115 | Smith |

| Assign | | |
|--------|--------|-------|
| empId | projNo | hours |
| E101 | P10 | 200 |
| E101 | P15 | 300 |
| E105 | P10 | 400 |
| E110 | P15 | 700 |
| E110 | P20 | 350 |
| E115 | P10 | 300 |
| E115 | P20 | 400 |

| Proj | | |
|--------|----------|--------|
| projNo | projName | budget |
| P10 | Hudson | 500000 |
| P15 | Columbia | 350000 |
| P20 | Wabash | 350000 |
| P23 | Arkansas | 600000 |

Show all the tables (including the intermediate ones) that would be produced by each of the following relational algebra commands:

(a) Symbolically:

$$(\sigma_{\text{lastName}='Adams'}(\text{Emp})) \bowtie \text{Assign}$$

or informally:

```
SELECT Emp WHERE lastName = 'Adams' GIVING T1
T1 JOIN Assign GIVING T2
```


(b) Symbolically:

$$\Pi_{\text{empId}}((\sigma_{\text{budget}>400000}(\text{Proj})) \bowtie \text{Assign})$$

or informally:

```
SELECT Proj WHERE budget > 400000 GIVING T1
T1 JOIN Assign GIVING T2
PROJECT T2 OVER empId GIVING T3
```


4. Consider the following schema for a database that keeps information about business trips and their associated expenses by employees:




Write relational algebra queries for each of the following:

- Get a list of all the different destination cities where the employees have taken trips.
- Find all the employee information for employees who work in Department 10.
- Find the names of all employees who have departed on trips from London.
- Find the names of all employees who have any expense item with value 'Entertainment'.

5. Design a relational database schema for the data about the book collector example that you worked on earlier. Start from this E-R diagram:



6. Design a relational database schema for the data about college students, academic advisors, and clubs that you worked on earlier. Start from this E-R diagram:



7. Using these relations:
Relation S, suppliers entities

S# SNAME STATUS CITY

| | | | |
|----|-------|----|--------|
| S1 | Smith | 20 | London |
| S2 | Jones | 10 | Paris |
| S3 | Blake | 30 | Paris |
| S4 | Clark | 20 | London |
| S5 | Adams | 30 | Athens |

Relation P, parts entities

| P# | PNAME | COLOR | WEIGHT | CITY |
|----|-------|-------|--------|--------|
| P1 | Nut | Red | 12.0 | London |
| P2 | Bolt | Green | 17.0 | Paris |
| P3 | Screw | Blue | 17.0 | Oslo |
| P4 | Screw | Red | 14.0 | London |
| P5 | Cam | Blue | 12.0 | Paris |
| P6 | Cog | Red | 19.0 | London |

Table SP, suppliers to parts relationship

| S# | P# | QTY |
|----|----|-----|
| S1 | P1 | 300 |
| S1 | P2 | 200 |
| S1 | P3 | 400 |
| S1 | P4 | 200 |
| S1 | P5 | 100 |
| S1 | P6 | 100 |
| S2 | P1 | 300 |
| S2 | P2 | 400 |
| S2 | P5 | 420 |
| S3 | P2 | 200 |
| S4 | P2 | 200 |
| S4 | P4 | 300 |
| S4 | P5 | 400 |

Write the sequence of relational algebra commands to find the names of those suppliers that supply all parts weighing 12.0. Remember, division is defined as

$$\alpha \div \beta = \Pi_{A-B}(\alpha) - \Pi_{A-B}((\Pi_{A-B}(\alpha) \times \beta) - \alpha)$$

where $A - B$ are those attributes of α not in β . Before you start writing relational algebra commands to implement the division, you'll need to write commands to construct α and β .

Show all the tables (including the intermediate ones) that would be produced by each of the relational algebra commands that you write.